

<del></del>	Application No.	Applicant(s)
	Application No.	Applicantis
Notice of Allowability	10/816,033	BEYER ET AL.
House of Allowability	Examiner	Art Unit
	Charles E. Cooley	1723
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 15 AUG 2005.		
2.  The allowed claim(s) is/are <u>1-10,12-19 and 22</u> .		
3.  The drawings filed on 15 August 2005 are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> <li>3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ul>		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> </ul>		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal Pa	atent Application (PTO-152)
2.  Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Date 8), 7. ⊠ Examiner's Amendm	e nent/Comment
4. ☐ Examiner's Comment Regarding Requirement for Deposit	8.   Examiner's Statement	nt of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 10/816,033 Page 2

Art Unit: 1723

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- 2. Authorization for this examiner's amendment was given in a telephone interview with Arlene Powers on 25 AUG 2005.
- 3. The application has been amended as follows:

## **Amendments to the Claims:**

Claim 1, line 2: before "drum" insert --pressure tight--.

Claim 5, line 2: replace "type" with --tight--.

Claim 6, line 2: replace "type" with --tight--.

Claim 14, line 3: before "drum" insert --pressure tight--.

Claim 15, line 3: before "drum" insert --pressure tight--.

Application/Control Number: 10/816,033 Page 3

Art Unit: 1723

\* \* \*

4. The above changes were made to reinsert the language "pressure tight" commensurate with Applicant's remarks in the last office action and to correct typographical errors.

- 5. Any comments considered necessary by applicant must be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably accompany the Issue Fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E. Cooley whose telephone number is (571) 272-1139. The examiner can normally be reached on Mon-Fri. All official facsimiles should be transmitted to the centralized fax receiving number 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Charles E. Cooley Primary Examiner Art Unit 1723

Churles V

25 August 2005